

RAM PRESSURE PLATE SPECIFICATIONS

DIAPHRAGM								
SIZE	MAKE	STATIC PSI	NOTES	PART NO.	BOLT PATTERN	WT.	BOLT SET	STUD SET
10.5	GM, Chry	2800	Ductile iron plate	401	11.625	17	490	492
10.5	GM, Chry	2800	Aluminum plate/steel insert	801	11.625	13.5	490	492
10.5	GM	2400	LT1 pull type	40082	11.625	18	use OEM	-
11	GM, Chry	2800	Exc. LS factory	402	12.625	18	490	492
11	GM	2800	LS metric (no dowel pins)	402L	12.625	18	528	-
10	Ford	2400	Dia. Replacement for lever 10.5"	40030	11.375	16	493	-
10.5	Ford	2200	Mustang 'Cobra' style	432	11.375	17	493	-
10.5	Ford	2500	Mustang HD	434	11.375	17	493	-
11	Ford	2400	Dia repl for lever 11" exc. 1 3/8-10	40465	12.375	18	490/491	-
12	Ford	2400	Dia repl for lever 12" exc. 1 3/8-10	40800	12.875	20	490/491	-

BORG & BECK								
SIZE	MAKE	STATIC PSI	NOTES	PART NO.	BOLT PATTERN	WT.	BOLT SET	STUD SET
10.5	GM, Chry	2800	Ductile iron plate	403	11.625	17	490	492
10.5	GM, Chry	3200	Ductile iron plate	423	11.625	17	490	492
10.95	GM, Chry	2800	10.5 bolt pattern, 10.95 plate	418	11.625	18	490	492
10.95	GM, Chry	3200	10.5 bolt pattern, 10.95 plate	428	11.625	18	490	492
11	GM, Chry	2800	Ductile iron plate	404	12.625	18	490	492
11	GM, Chry	3200	Ductile iron plate	414	12.625	18	490	492

LONG STYLE NON-ADJUSTABLE								
SIZE	MAKE	STATIC PSI	NOTES	PART NO.	BOLT PATTER N	WT	BOLT SET	STUD SET
10.5	Ford	1800	5/16 mounting, std cover	415	11.375	17	491	-
10.5	Ford	2600	5/16 mounting, std cover	405	11.375	17	491	-
11	Ford	2600	5/16 mounting, std cover	406	12.375	18	491	-
11	Ford	1800	3/8 mounting, HD cover	440	12.375	19	490	492
11	Ford	2000	3/8 mounting, HD cover	439	12.375	19	490	492
11	Ford	2400	3/8 mounting, HD cover	436	12.375	19	490	492
11	Ford	2400	3/8 mounting, HD cover, CW lever	436CW	12.375	19	490	492
11	Ford	2800	3/8 mounting, HD cover	437	12.375	19	490	492
11	Ford	2800	3/18 mounting, HD cover, CW lever	437CW	12.375	19	490	492

LONG STYLE ADJUSTABLE STATIC								
SIZE	MAKE	STATIC PSI	NOTES	PART NO.	BOLT PATTER N	WT	BOLT SET	STUD SET
11	Ford	1200-1800	3/8 mounting, HD cover	435	12.375	19	490	492
11	Ford	1200-1800	3/8 mounting, HD cover, CW lever	435CW	12.375	19	490	492
11	Ford	1500-2100	3/8 mounting, HD cover	448	12.375	19	490	492
11	Ford	1500-2100	3/8 mounting, HD cover, CW lever	448CW	12.375	19	490	492
11	Ford	1800-2400	3/8 mounting, HD cover	438	12.375	19	490	492
11	Ford	1800-2400	3/8 mounting, HD cover, CW lever	438CW	12.375	19	490	492
11	Ford	2200-2800	3/8 mounting, HD cover	458	12.375	19	490	492
11	Ford	2200-2800	3/8 mounting, HD cover, CW lever	458CW	12.375	19	490	492

SINGLE IRON LONG STYLE ADJUSTABLE STATIC								
SIZE	MAKE	STATIC PSI	NOTES	PART NO.	BOLT PATTERN	WT .	BOLT SET	STUD SET
11	Ford	360-990	Steel ring, HD cover, CW lever	470CW	12.375	19	490	492
11	Ford	360-990	Alum ring, HD cover, CW lever	670CW	12.375	15	490	492
11	Ford	360-990	Steel ring, HD cover	470	12.375	19	490	492
11	Ford	800-1640	Steel ring, HD cover, CW lever	471CW	12.375	19	490	492
11	Ford	800-1640	Alum ring, HD cover, CW lever	671CW	12.375	15	490	492
11	Ford	800-1640	Steel ring, HD cover	471	12.375	19	490	492
11	Ford	1200-2040	Steel ring, HD cover, CW lever	473CW	12.375	19	490	492
11	Ford	1200-2040	Alum ring, HD cover, CW lever	673CW	12.375	15	490	492
11	Ford	1200-2040	Steel ring, HD cover	473	12.375	19	490	492
11	Ford	1500-2340	Steel ring, HD cover, CW lever	474CW	12.375	19	490	492
11	Ford	1500-2340	Alum ring, HD cover, CW lever	674CW	12.375	15	490	492
11	Ford	1500-2340	Steel ring, HD cover	474	12.375	19	490	492